



Date \_\_\_\_\_ Project \_\_\_\_\_

Notes \_\_\_\_\_


**PS1 LINEARLYTE PENDANT FIXTURE**

Create a beautifully lit space with one of our nine pendant fixture profiles. PS1 linear fixture is sold in 1 foot increments, with 5 different color temperature options.

- Sold in 1 foot (304.8 mm) or 1/2 meter increments
- UV Resistant lenses
- 0-10 V or DALI Dimmable
- Standard powdercoating in Silver, Black, and White (Custom colors available)
- Assembled in USA

**Applications:**

- |               |               |             |
|---------------|---------------|-------------|
| Commercial    | Hospitality   | Residential |
| Entertainment | Museums       | Retail      |
| Healthcare    | Public Spaces |             |




**RoHS IP20**

**ORDERING GUIDE**

Category	Output	Fixture Length		Color Temp	Surface Finish	
PS1						
PS1	LO - Low	2 - 2 ft	6 - 6 ft	0.5m - 0.5 m	27 - 2700K	AL - Aluminum
	SO - Standard	3 - 3 ft	7 - 7 ft	1m - 1 m	30 - 3000K	W - White
	HO - High	4 - 4 ft	8 - 8 ft	1.5m - 1.5 m	35 - 3500K	K - Black
		5 - 5 ft		2m - 2 m	40 - 4000K	C - Custom
				2.4m - 2.4 m	50 - 5000K	*Custom RAL # available.

**AVAILABLE COLOR TEMPERATURES**



**SPECIFICATIONS / LUMEN DATA / SUGGESTED SUSPENSION WIRE SEPARATED DISTANCES**


**SPECIFICATIONS**

	<b>Beam Angle</b>	104°
	<b>Lens Type</b>	Milky
	<b>Length</b>	Sold in 1 foot (304.8 mm) or 1/2 meter increments
	<b>Operating Voltage</b>	27-54 V
	<b>Dimming</b>	0-10V, DALI
	<b>Colors</b>	2700K, 3000K, 3500K, 4000K, 5000K
	<b>Certifications</b>	RoHS, ETL
	<b>Weight</b>	1.30 lbs/ft (1.94 kg/m)
	<b>Width</b>	1.38 in (35.1 mm)
	<b>Height</b>	1.38 in (35.1 mm)

**LUMEN DATA / FIXTURE TESTED AT 3500K**



	W/ft	lm/ft	W/2 ft	lm/2 ft	W/4 ft	lm/4 ft	W/8 ft	lm/8 ft	lm/W
LO	3.4	210.8	6.8	421.6	13.6	843.2	27.2	1686.4	62.0
SO	7.0	427.0	14.0	854.0	28.0	1708.0	56.0	3416.0	61.0
HO	9.5	569.0	19.0	1138.0	38.0	2276.0	76.0	4552.0	60.0

**SUGGESTED SUSPENSION WIRE SEPARATED DISTANCES**



GENLED Acolyte<sup>®</sup> does not warrant or represent that the information is free from errors or omission. The information may change without notice and GENLED Acolyte<sup>®</sup> is not in any way liable for the accuracy of any information printed and stored or in any way interpreted or used.

FIXTURE INSTALLATION



- \* Length of Suspension Cable from ceiling to fixture: 150 inches (3.81 meter)
- \* Field cuttable to any length