

Report No.: 20231017

Test Time: 2023/10/18 10:55


Luminaire Property

Luminaire Manufacturer: Acolyte
Luminaire Category: Pixel RibbonLyte
Luminaire Description: RGB-14.4W/M-WS2813A-60LED/M - Blue only
Luminous Length (mm): 1000
Luminous Width (mm): 10
Luminous Height (mm): 4
Voltage: 24.0 V
Current: 0.312 A
Power: 7.49 W
Power Factor: 1.000


Photometric Results

CIE Class: Direct
Measurement Flux: 39.1 lm
Downward Ratio: 99%
Horizontal Diffuse Angle(10%,50%): H162,H120.3
Vertical Diffuse Angle(10%,50%): V161.9,V120.7
Luminaire Efficacy Rating (LER): 5
Max. Intensity: 12.47 cd
Total Rated Lamp Lumens: 39.1 lm
Efficiency: 100%
Upward Ratio: 1%
Central Intensity: 12.31 cd
Pos of Max. Intensity: H30 V4

Picture Of Luminaire



Luminous Intensity Distribution Curve




Average Diffuse Angle(50%): 120.5°
Unit: cd
— C0-C180 — C90-C270

C Plane (°):0.0-360.0: 30.0
Test Lab:
Test Type: TYPE C
Temperature: 25
Operator: Michael

Gamma Plane (°):0.0-180.0: 1.0
Test Device: GPM-1800B
Distance: 9.028 m
Humidity: 60%
Inspector:


Luminous Intensity Distribution Curve



C Plane (°):0.0-360.0: 30.0
Test Lab:
Test Type: TYPE C
Temperature: 25
Operator: Michael

Gamma Plane (°):0.0-180.0:1.0
Test Device: GPM-1800B
Distance: 9.028 m
Humidity: 60%
Inspector:

Luminous Intensity Distribution Curve(cd/klm)



C Plane (°):0.0-360.0: 30.0
Test Lab:
Test Type: TYPE C
Temperature: 25
Operator: Michael

Gamma Plane (°):0.0-180.0:1.0
Test Device: GPM-1800B
Distance: 9.028 m
Humidity: 60%
Inspector:


Coefficients Of Utilization - Zonal Cavity Method

RC	0.8	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.5	0.5	0.5	0.3	0.3	0.3	0.1	0.1	0.1	0
RW	0.7	0.5	0.3	0.1	0.7	0.5	0.3	0.1	0.5	0.3	0.1	0.5	0.3	0.1	0.5	0.3	0.1	0
RCR	RF = 0.2																	
0	119	119	119	119	116	116	116	116	110	110	110	105	105	105	101	101	101	99
1	108	103	98	94	105	100	96	92	96	92	89	92	89	86	88	86	83	81
2	98	89	82	76	95	87	81	75	83	78	73	80	75	71	76	73	69	67
3	89	78	69	63	86	76	68	62	73	66	61	70	64	60	67	62	58	56
4	81	69	60	53	79	67	59	52	65	57	52	62	56	51	60	54	50	48
5	74	61	52	45	72	60	51	45	58	50	44	56	49	44	54	48	43	41
6	69	55	46	39	67	54	45	39	52	44	39	50	43	38	49	42	38	36
7	64	50	41	35	62	49	40	34	47	40	34	46	39	34	44	38	33	31
8	59	45	37	31	57	45	36	31	43	36	30	42	35	30	41	34	30	28
9	55	42	33	28	54	41	33	27	40	32	27	38	32	27	37	31	27	25
10	52	38	30	25	50	38	30	25	37	30	25	36	29	24	35	29	24	22

Spacing Criteria (0-180): 1.30

Spacing Criteria (90-270): 1.32

Spacing Criteria (Diagonal): 1.44



C Plane (°):0.0-360.0: 30.0

Test Lab:

Test Type: TYPE C

Temperature: 25

Operator: Michael

Gamma Plane (°):0.0-180.0:1.0


Test Device: GPM-1800B

Distance: 9.028 m

Humidity: 60%

Inspector:

Isocandela (rectangle)




Imax (100%): 12 cd

(10%):	1 cd	(20%):	2 cd
(25%):	3 cd	(30%):	4 cd
(40%):	5 cd	(50%):	6 cd
(60%):	7 cd	(70%):	9 cd
(80%):	10 cd	(90%):	11 cd

C Plane (°):0.0-360.0: 30.0
Test Lab:
Test Type: TYPE C
Temperature: 25
Operator: Michael

Gamma Plane (°):0.0-180.0:1.0
Test Device: GPM-1800B
Distance: 9.028 m
Humidity: 60%
Inspector:

IsoLux Plot





C Plane (°):0.0-360.0: 30.0
Test Lab:
Test Type: TYPE C
Temperature: 25
Operator: Michael

Gamma Plane (°):0.0-180.0:1.0
Test Device: GPM-1800B
Distance: 9.028 m
Humidity: 60%
Inspector:

Lum Limit Curve

Dazzle	Quality	Illuminance (lx)							
1.15	A	2000	1000	500	<=300				
1.50	B		2000	1000	500	<=300			
1.85	C			2000	1000	500	<=300		
2.20	D				2000	1000	500	<=300	
2.55	E					2000	1000	500	<=300

a b c d e f g h




L(cd/sq.m)	G45	G50	G55	G60	G65	G70	G75	G80	G85
C0	1062	1043	1023	983	959	912	837	772	661
C90	1351	1369	1363	1369	1351	1281	1188	1076	845
C180	718	627	503	384	243	107	25	7	14
C270	1210	1186	1165	1118	1046	940	803	569	208

C Plane (°):0.0-360.0: 30.0
Test Lab:
Test Type: TYPE C
Temperature: 25
Operator: Michael

Gamma Plane (°):0.0-180.0:1.0
Test Device: GPM-1800B
Distance: 9.028 m
Humidity: 60%
Inspector:


Illuminance at a Distance



C Plane (°):0.0-360.0: 30.0
Test Lab:
Test Type: TYPE C
Temperature: 25
Operator: Michael

Gamma Plane (°):0.0-180.0:1.0
Test Device: GPM-1800B
Distance: 9.028 m
Humidity: 60%
Inspector:

Vertical IsoLux Plot



Lowest(m): 2.0m	Highest(m): 5.0m	Max Lux: 3.1 lx
(10%): 0.3 lx	(20%): 0.6 lx	
(25%): 0.8 lx	(30%): 0.9 lx	
(40%): 1.2 lx	(50%): 1.5 lx	
(60%): 1.9 lx	(70%): 2.2 lx	
(80%): 2.5 lx	(90%): 2.8 lx	

C Plane (°):0.0-360.0: 30.0
Test Lab:
Test Type: TYPE C
Temperature: 25
Operator: Michael

Gamma Plane (°):0.0-180.0:1.0
Test Device: GPM-1800B
Distance: 9.028 m
Humidity: 60%
Inspector:

Area Flux Table

Unit: lm


Vertical plane		-90	-80	-70	-60	-50	-40	-30	-20	-10	0	10	20	30	40	50	60	70	80	90	Flux(T)	Flux(E)
Horizontal plane	-90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	-80	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	-70	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	-60	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	-50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	-40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	-30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	-20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	-10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	60	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	70	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	80	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Flux(T)	0.0	0.0	0.2	0.7	1.5	2.3	3.1	3.7	4.2	4.3	4.2	3.9	3.4	2.7	2.0	1.2	0.6	0.1	0.1	39	38
	Flux(E)	0.0	0.0	0.2	0.7	1.5	2.3	3.1	3.7	4.2	4.3	4.2	3.9	3.4	2.7	2.0	1.2	0.6	0.1	0.1	39	38

C Plane (°): 0.0-360.0: 30.0
Test Lab:
Test Type: TYPE C
Temperature: 25
Operator: Michael

Gamma Plane (°): 0.0-180.0: 1.0
Test Device: GPM-1800B
Distance: 9.028 m
Humidity: 60%
Inspector:



The Average Illuminance Effective Figure



C Plane (°):0.0-360.0: 30.0
Test Lab:
Test Type: TYPE C
Temperature: 25
Operator: Michael

Gamma Plane (°):0.0-180.0: 1.0
Test Device: GPM-1800B
Distance: 9.028 m
Humidity: 60%
Inspector:

UGR Table

Reflectance:										
Ceiling (cavity)	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3
Wall	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3
Reference plane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Room dimensions	Viewed crosswise					Viewed endwise				
X=2H Y=2H	25.3	26.9	25.7	27.3	27.6	23.2	24.9	23.6	25.2	25.6
3H	27.8	29.3	28.2	29.7	30.1	24.9	26.4	25.3	26.7	27.1
4H	29.0	30.4	29.4	30.8	31.2	25.4	26.9	25.9	27.2	27.6
6H	30.2	31.5	30.6	31.9	32.3	25.8	27.1	26.2	27.5	27.9
8H	30.7	32.0	31.2	32.4	32.8	25.9	27.1	26.3	27.5	28.0
12H	31.3	32.5	31.8	32.9	33.4	25.9	27.1	26.4	27.5	28.0
X=4H Y=2H	25.8	27.2	26.2	27.6	28.0	24.0	25.4	24.4	25.7	26.1
3H	28.5	29.7	29.0	30.1	30.6	25.8	27.0	26.3	27.4	27.9
4H	29.8	30.9	30.3	31.4	31.8	26.5	27.6	26.9	28.0	28.5
6H	31.1	32.1	31.6	32.6	33.0	27.0	27.9	27.4	28.4	28.8
8H	31.8	32.7	32.2	33.1	33.6	27.1	28.0	27.5	28.4	28.9
12H	32.4	33.2	32.9	33.7	34.2	27.1	27.9	27.6	28.4	28.9
X=8H Y=4H	30.1	30.9	30.5	31.4	31.9	26.9	27.8	27.4	28.3	28.8
6H	31.5	32.2	32.0	32.7	33.2	27.5	28.2	28.0	28.8	29.3
8H	32.2	32.9	32.7	33.4	33.9	27.7	28.4	28.2	28.9	29.4
12H	33.0	33.6	33.5	34.1	34.7	27.8	28.4	28.3	28.9	29.5
X=12H Y=4H	30.1	30.9	30.6	31.4	31.9	27.0	27.8	27.5	28.3	28.8
6H	31.5	32.2	32.1	32.7	33.2	27.7	28.3	28.2	28.8	29.4
8H	32.3	32.9	32.8	33.4	34.0	27.9	28.5	28.4	29.0	29.6

Calculate in accordance with CIE 190:2010

 C Plane (°):0.0-360.0: 30.0
 Test Lab:
 Test Type: TYPE C
 Temperature: 25
 Operator: Michael

 Gamma Plane (°):0.0-180.0: 1.0
 Test Device: GPM-1800B
 Distance: 9.028 m
 Humidity: 60%
 Inspector:

Utilisation Factor Table(Floor cavity)

Utilisation Factors UF(F)			SHR NOM = 1.50								
Room Reflectance			Room Index(RI)								
Ceiling	Wall	Floor	0.75	1.00	1.25	1.50	2.00	2.50	3.00	4.00	5.00
0.70	0.50	0.20	0.58	0.66	0.74	0.79	0.86	0.91	0.95	0.99	1.02
	0.30		0.50	0.59	0.66	0.72	0.80	0.86	0.90	0.95	0.99
	0.20		0.45	0.53	0.61	0.67	0.75	0.81	0.85	0.91	0.95
0.50	0.50	0.20	0.56	0.64	0.71	0.76	0.83	0.88	0.91	0.95	0.98
	0.30		0.49	0.57	0.65	0.70	0.78	0.83	0.87	0.92	0.95
	0.20		0.44	0.52	0.60	0.65	0.73	0.79	0.83	0.88	0.92
0.30	0.50	0.20	0.55	0.62	0.69	0.74	0.80	0.84	0.87	0.91	0.94
	0.30		0.48	0.56	0.63	0.68	0.75	0.80	0.84	0.88	0.91
	0.20		0.44	0.51	0.59	0.64	0.72	0.77	0.81	0.86	0.89
0.00	0.00	0.00	0.42	0.49	0.56	0.61	0.68	0.73	0.76	0.81	0.84
Rating: 7W Photometrically tested without ceiling board. Multiply UF values by service correction factors Calculate in accordance with CIBSE Technical Memorandum NO.5 1980											

Utilisation Factor Table(Wall)

Utilisation Factors UF(W)			SHR NOM = 1.50									
Room Reflectance			Room Index(RI)									
Ceiling	Wall	Floor	0.75	1.00	1.25	1.50	2.00	2.50	3.00	4.00	5.00	
0.70	0.50	0.20	0.97	0.83	0.70	0.61	0.49	0.41	0.35	0.28	0.23	
	0.30		0.81	0.71	0.61	0.54	0.45	0.38	0.33	0.26	0.22	
	0.20		0.70	0.62	0.54	0.49	0.41	0.35	0.31	0.25	0.21	
0.50	0.50	0.20	0.94	0.79	0.67	0.59	0.47	0.42	0.34	0.26	0.21	
	0.30		0.79	0.69	0.59	0.53	0.43	0.36	0.31	0.25	0.21	
	0.20		0.69	0.61	0.53	0.48	0.40	0.34	0.30	0.24	0.20	
0.30	0.50	0.20	0.91	0.76	0.64	0.56	0.45	0.37	0.32	0.25	0.21	
	0.30		0.77	0.67	0.58	0.51	0.41	0.35	0.30	0.24	0.20	
	0.20		0.68	0.60	0.52	0.47	0.38	0.33	0.29	0.23	0.19	
0.00	0.00	0.00	0.57	0.50	0.43	0.38	0.31	0.26	0.23	0.18	0.15	
Rating: 7W Photometrically tested without ceiling board. Multiply UF values by service correction factors Calculate in accordance with CIBSE Technical Memorandum NO.5 1980												

Utilisation Factor Table(Ceiling cavity)

Utilisation Factors UF(C)			SHR NOM = 1.50								
Room Reflectance			Room Index(RI)								
Ceiling	Wall	Floor	0.75	1.00	1.25	1.50	2.00	2.50	3.00	4.00	5.00
0.70	0.50	0.20	0.17	0.19	0.20	0.20	0.21	0.22	0.22	0.23	0.23
	0.30		0.11	0.12	0.14	0.15	0.16	0.17	0.18	0.20	0.20
	0.20		0.06	0.07	0.09	0.10	0.12	0.14	0.15	0.17	0.18
0.50	0.50	0.20	0.17	0.18	0.19	0.20	0.20	0.21	0.21	0.22	0.22
	0.30		0.10	0.12	0.13	0.14	0.16	0.17	0.18	0.19	0.20
	0.20		0.06	0.07	0.09	0.10	0.12	0.13	0.15	0.16	0.17
0.30	0.50	0.20	0.16	0.18	0.18	0.19	0.20	0.20	0.20	0.21	0.21
	0.30		0.10	0.12	0.13	0.14	0.15	0.16	0.17	0.18	0.19
	0.20		0.06	0.07	0.09	0.10	0.12	0.13	0.14	0.16	0.17
0.00	0.00	0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
<p>Rating: 7W Photometrically tested without ceiling board.</p> <p>Multiply UF values by service correction factors</p> <p>Calculate in accordance with CIBSE Technical Memorandum NO.5 1980</p>											

Zonal Lumen

Gamma [°]	I _{mean} [cd]	Zonal Flux [lm]	Sum Zonal Flux [lm]	Rel Zonal Flux [%]	Sum Rel Zonal Flux [%]
0.0-1.0	12.3	0.0	0.0	0.03	0.03
1.0-2.0	12.3	0.0	0.0	0.09	0.12
2.0-3.0	12.3	0.1	0.1	0.15	0.27
3.0-4.0	12.3	0.1	0.2	0.21	0.48
4.0-5.0	12.3	0.1	0.3	0.27	0.75
5.0-6.0	12.3	0.1	0.4	0.33	1.08
6.0-7.0	12.3	0.2	0.6	0.39	1.47
7.0-8.0	12.2	0.2	0.8	0.45	1.92
8.0-9.0	12.2	0.2	0.9	0.51	2.43
9.0-10.0	12.2	0.2	1.2	0.56	2.99
10.0-11.0	12.2	0.2	1.4	0.62	3.61
11.0-12.0	12.1	0.3	1.7	0.68	4.29
12.0-13.0	12.1	0.3	2.0	0.73	5.03
13.0-14.0	12.0	0.3	2.3	0.79	5.82
14.0-15.0	12.0	0.3	2.6	0.84	6.66
15.0-16.0	12.0	0.4	3.0	0.90	7.56
16.0-17.0	11.9	0.4	3.3	0.95	8.51
17.0-18.0	11.9	0.4	3.7	1.00	9.51
18.0-19.0	11.8	0.4	4.1	1.05	10.56
19.0-20.0	11.7	0.4	4.6	1.10	11.66
20.0-21.0	11.7	0.4	5.0	1.15	12.81
21.0-22.0	11.6	0.5	5.5	1.20	14.00
22.0-23.0	11.5	0.5	6.0	1.24	15.24
23.0-24.0	11.5	0.5	6.5	1.28	16.53
24.0-25.0	11.4	0.5	7.0	1.33	17.85
25.0-26.0	11.3	0.5	7.5	1.37	19.22
26.0-27.0	11.2	0.5	8.1	1.41	20.62
27.0-28.0	11.1	0.6	8.6	1.44	22.07
28.0-29.0	11.1	0.6	9.2	1.48	23.55
29.0-30.0	10.9	0.6	9.8	1.51	25.06
30.0-31.0	10.9	0.6	10.4	1.55	26.61
31.0-32.0	10.8	0.6	11.0	1.58	28.19
32.0-33.0	10.6	0.6	11.6	1.61	29.80
33.0-34.0	10.5	0.6	12.3	1.63	31.43
34.0-35.0	10.4	0.6	12.9	1.66	33.09
35.0-36.0	10.3	0.7	13.6	1.68	34.77

C Plane (°): 0.0-360.0: 30.0
 Test Lab:
 Test Type: TYPE C
 Temperature: 25
 Operator: Michael

Gamma Plane (°): 0.0-180.0: 1.0
 Test Device: GPM-1800B
 Distance: 9.028 m
 Humidity: 60%
 Inspector:

Zonal Lumen (Continue 1)

Gamma [°]	I _{mean} [cd]	Zonal Flux [lm]	Sum Zonal Flux [lm]	Rel Zonal Flux [%]	Sum Rel Zonal Flux [%]
36.0-37.0	10.2	0.7	14.2	1.70	36.47
37.0-38.0	10.1	0.7	14.9	1.72	38.19
38.0-39.0	9.9	0.7	15.6	1.74	39.93
39.0-40.0	9.8	0.7	16.3	1.75	41.68
40.0-41.0	9.6	0.7	17.0	1.76	43.44
41.0-42.0	9.5	0.7	17.7	1.77	45.21
42.0-43.0	9.4	0.7	18.3	1.77	46.98
43.0-44.0	9.2	0.7	19.0	1.78	48.76
44.0-45.0	9.1	0.7	19.7	1.78	50.55
45.0-46.0	8.9	0.7	20.4	1.78	52.33
46.0-47.0	8.7	0.7	21.1	1.78	54.11
47.0-48.0	8.5	0.7	21.8	1.77	55.88
48.0-49.0	8.4	0.7	22.5	1.76	57.64
49.0-50.0	8.2	0.7	23.2	1.75	59.39
50.0-51.0	8.0	0.7	23.9	1.74	61.13
51.0-52.0	7.8	0.7	24.5	1.72	62.85
52.0-53.0	7.6	0.7	25.2	1.70	64.56
53.0-54.0	7.5	0.7	25.9	1.68	66.24
54.0-55.0	7.2	0.6	26.5	1.66	67.90
55.0-56.0	7.0	0.6	27.1	1.63	69.52
56.0-57.0	6.8	0.6	27.8	1.60	71.12
57.0-58.0	6.6	0.6	28.4	1.57	72.69
58.0-59.0	6.4	0.6	29.0	1.53	74.22
59.0-60.0	6.2	0.6	29.6	1.50	75.72
60.0-61.0	6.0	0.6	30.1	1.46	77.18
61.0-62.0	5.8	0.6	30.7	1.42	78.60
62.0-63.0	5.5	0.5	31.2	1.38	79.98
63.0-64.0	5.3	0.5	31.7	1.33	81.31
64.0-65.0	5.1	0.5	32.2	1.28	82.59
65.0-66.0	4.8	0.5	32.7	1.24	83.83
66.0-67.0	4.6	0.5	33.2	1.19	85.02
67.0-68.0	4.4	0.4	33.6	1.13	86.15
68.0-69.0	4.1	0.4	34.1	1.08	87.23
69.0-70.0	3.9	0.4	34.5	1.03	88.26
70.0-71.0	3.7	0.4	34.8	0.97	89.23
71.0-72.0	3.4	0.4	35.2	0.92	90.14

C Plane (°): 0.0-360.0: 30.0
 Test Lab:
 Test Type: TYPE C
 Temperature: 25
 Operator: Michael

Gamma Plane (°): 0.0-180.0: 1.0
 Test Device: GPM-1800B
 Distance: 9.028 m
 Humidity: 60%
 Inspector:

Zonal Lumen (Continue 2)

Gamma [°]	I _{mean} [cd]	Zonal Flux [lm]	Sum Zonal Flux [lm]	Rel Zonal Flux [%]	Sum Rel Zonal Flux [%]
72.0-73.0	3.2	0.3	35.5	0.86	91.01
73.0-74.0	3.0	0.3	35.9	0.81	91.82
74.0-75.0	2.8	0.3	36.1	0.76	92.57
75.0-76.0	2.6	0.3	36.4	0.71	93.28
76.0-77.0	2.4	0.3	36.7	0.66	93.94
77.0-78.0	2.2	0.2	36.9	0.61	94.54
78.0-79.0	2.0	0.2	37.1	0.56	95.10
79.0-80.0	1.8	0.2	37.3	0.51	95.61
80.0-81.0	1.7	0.2	37.5	0.46	96.08
81.0-82.0	1.5	0.2	37.7	0.43	96.50
82.0-83.0	1.4	0.2	37.8	0.39	96.89
83.0-84.0	1.2	0.1	38.0	0.35	97.24
84.0-85.0	1.1	0.1	38.1	0.31	97.55
85.0-86.0	1.0	0.1	38.2	0.27	97.82
86.0-87.0	0.9	0.1	38.3	0.24	98.06
87.0-88.0	0.8	0.1	38.4	0.21	98.28
88.0-89.0	0.7	0.1	38.4	0.19	98.46
89.0-90.0	0.6	0.1	38.5	0.16	98.62
90.0-91.0	0.5	0.1	38.6	0.14	98.76
91.0-92.0	0.4	0.0	38.6	0.12	98.88
92.0-93.0	0.4	0.0	38.6	0.10	98.98
93.0-94.0	0.3	0.0	38.7	0.08	99.06
94.0-95.0	0.2	0.0	38.7	0.06	99.12
95.0-96.0	0.2	0.0	38.7	0.05	99.18
96.0-97.0	0.2	0.0	38.7	0.04	99.22
97.0-98.0	0.1	0.0	38.8	0.03	99.26
98.0-99.0	0.1	0.0	38.8	0.03	99.28
99.0-100.0	0.1	0.0	38.8	0.02	99.30
100.0-101.0	0.1	0.0	38.8	0.02	99.32
101.0-102.0	0.1	0.0	38.8	0.02	99.34
102.0-103.0	0.0	0.0	38.8	0.01	99.35
103.0-104.0	0.0	0.0	38.8	0.01	99.36
104.0-105.0	0.0	0.0	38.8	0.01	99.37
105.0-106.0	0.0	0.0	38.8	0.01	99.38
106.0-107.0	0.0	0.0	38.8	0.01	99.38
107.0-108.0	0.0	0.0	38.8	0.01	99.39

C Plane (°): 0.0-360.0: 30.0
Test Lab:
Test Type: TYPE C
Temperature: 25
Operator: Michael

Gamma Plane (°): 0.0-180.0: 1.0
Test Device: GPM-1800B
Distance: 9.028 m
Humidity: 60%
Inspector:

Zonal Lumen (Continue 3)

Gamma [°]	I _{mean} [cd]	Zonal Flux [lm]	Sum Zonal Flux [lm]	Rel Zonal Flux [%]	Sum Rel Zonal Flux [%]
108.0-109.0	0.0	0.0	38.8	0.01	99.40
109.0-110.0	0.0	0.0	38.8	0.01	99.41
110.0-111.0	0.0	0.0	38.8	0.01	99.42
111.0-112.0	0.0	0.0	38.8	0.01	99.43
112.0-113.0	0.0	0.0	38.8	0.01	99.44
113.0-114.0	0.0	0.0	38.8	0.01	99.44
114.0-115.0	0.0	0.0	38.8	0.01	99.45
115.0-116.0	0.0	0.0	38.8	0.01	99.46
116.0-117.0	0.0	0.0	38.8	0.01	99.47
117.0-118.0	0.0	0.0	38.8	0.01	99.48
118.0-119.0	0.0	0.0	38.8	0.01	99.49
119.0-120.0	0.0	0.0	38.9	0.01	99.50
120.0-121.0	0.1	0.0	38.9	0.01	99.52
121.0-122.0	0.0	0.0	38.9	0.01	99.53
122.0-123.0	0.0	0.0	38.9	0.01	99.54
123.0-124.0	0.1	0.0	38.9	0.01	99.55
124.0-125.0	0.1	0.0	38.9	0.01	99.56
125.0-126.0	0.1	0.0	38.9	0.01	99.58
126.0-127.0	0.1	0.0	38.9	0.01	99.59
127.0-128.0	0.1	0.0	38.9	0.01	99.60
128.0-129.0	0.1	0.0	38.9	0.01	99.61
129.0-130.0	0.0	0.0	38.9	0.01	99.62
130.0-131.0	0.0	0.0	38.9	0.01	99.63
131.0-132.0	0.1	0.0	38.9	0.01	99.64
132.0-133.0	0.1	0.0	38.9	0.01	99.65
133.0-134.0	0.1	0.0	38.9	0.01	99.67
134.0-135.0	0.0	0.0	38.9	0.01	99.68
135.0-136.0	0.1	0.0	38.9	0.01	99.69
136.0-137.0	0.1	0.0	38.9	0.01	99.70
137.0-138.0	0.1	0.0	38.9	0.01	99.71
138.0-139.0	0.1	0.0	38.9	0.01	99.72
139.0-140.0	0.1	0.0	38.9	0.01	99.73
140.0-141.0	0.1	0.0	38.9	0.01	99.74
141.0-142.0	0.1	0.0	38.9	0.01	99.75
142.0-143.0	0.1	0.0	39.0	0.01	99.76
143.0-144.0	0.1	0.0	39.0	0.01	99.77

C Plane (°): 0.0-360.0: 30.0
 Test Lab:
 Test Type: TYPE C
 Temperature: 25
 Operator: Michael

Gamma Plane (°): 0.0-180.0: 1.0
 Test Device: GPM-1800B
 Distance: 9.028 m
 Humidity: 60%
 Inspector:

Zonal Lumen (Continue 4)

Gamma [°]	I _{mean} [cd]	Zonal Flux [lm]	Sum Zonal Flux [lm]	Rel Zonal Flux [%]	Sum Rel Zonal Flux [%]
144.0-145.0	0.1	0.0	39.0	0.01	99.78
145.0-146.0	0.1	0.0	39.0	0.01	99.79
146.0-147.0	0.1	0.0	39.0	0.01	99.81
147.0-148.0	0.1	0.0	39.0	0.01	99.82
148.0-149.0	0.1	0.0	39.0	0.01	99.83
149.0-150.0	0.1	0.0	39.0	0.01	99.83
150.0-151.0	0.1	0.0	39.0	0.01	99.84
151.0-152.0	0.1	0.0	39.0	0.01	99.85
152.0-153.0	0.1	0.0	39.0	0.01	99.86
153.0-154.0	0.1	0.0	39.0	0.01	99.87
154.0-155.0	0.1	0.0	39.0	0.01	99.88
155.0-156.0	0.1	0.0	39.0	0.01	99.89
156.0-157.0	0.1	0.0	39.0	0.01	99.90
157.0-158.0	0.1	0.0	39.0	0.01	99.91
158.0-159.0	0.1	0.0	39.0	0.01	99.92
159.0-160.0	0.1	0.0	39.0	0.01	99.92
160.0-161.0	0.1	0.0	39.0	0.01	99.93
161.0-162.0	0.1	0.0	39.0	0.01	99.93
162.0-163.0	0.1	0.0	39.0	0.01	99.94
163.0-164.0	0.1	0.0	39.0	0.01	99.95
164.0-165.0	0.1	0.0	39.0	0.01	99.95
165.0-166.0	0.1	0.0	39.0	0.01	99.96
166.0-167.0	0.1	0.0	39.0	0.01	99.96
167.0-168.0	0.1	0.0	39.0	0.00	99.97
168.0-169.0	0.1	0.0	39.0	0.00	99.97
169.0-170.0	0.1	0.0	39.0	0.01	99.98
170.0-171.0	0.1	0.0	39.0	0.00	99.98
171.0-172.0	0.1	0.0	39.0	0.00	99.99
172.0-173.0	0.1	0.0	39.0	0.00	99.99
173.0-174.0	0.1	0.0	39.0	0.00	99.99
174.0-175.0	0.1	0.0	39.0	0.00	99.99
175.0-176.0	0.1	0.0	39.0	0.00	100.00
176.0-177.0	0.1	0.0	39.0	0.00	100.00
177.0-178.0	0.1	0.0	39.0	0.00	100.00
178.0-179.0	0.1	0.0	39.0	0.00	100.00
179.0-180.0	0.1	0.0	39.0	0.00	100.00

C Plane (°): 0.0-360.0: 30.0
 Test Lab:
 Test Type: TYPE C
 Temperature: 25
 Operator: Michael

Gamma Plane (°): 0.0-180.0: 1.0
 Test Device: GPM-1800B
 Distance: 9.028 m
 Humidity: 60%
 Inspector: